

version: 1.3

# Safety data sheet

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 PRODUCT IDENTIFIER

Product name

PARKETOLIT E65

# 1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses

One-component adhesive based on modified polyurethanes for bonding wood and other materials

Uses advised against

No information.

#### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

<u>Supplier</u>

MITOL, tovarna lepil, d.o.o., Sežana Partizanska c. 78 6210 Sežana, Slovenia +386 5 73 12 300 (8:00-16:00) lilijana.kocjan@mitol.si

# 1.4 EMERGENCY TELEPHONE NUMBER

Emergency

112

Supplier

+386 5 73 12 300 (8:00-16:00)

# **SECTION 2: HAZARDS IDENTIFICATION**

# 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to Regulation (EC) No 1272/2008 (CLP)

According to the regulation, the chemical is not classified as hazardous.

# 2.2 LABEL ELEMENTS

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Pictograms not applicable according to Regulation 1272/2008.

# 2.3 OTHER HAZARDS

PBT/vPvB

No information.

**Endocrine disrupting properties** 

No information.

Additional information

In contact with moisture small amounts of methanol is released.

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

# 3.1 SUBSTANCES

For mixtures see 3.2.

#### 3.2 MIXTURES

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	Notes for substances
trimethoxyvinylsi lane	2768-02-7 220-449-8 - 01-2119513215- 52	<5	Flam. Liq. 3; H226 Acute Tox. 4; H332	/	/

https://my.chemius.net/p/4X9



version: 1.3

# Safety data sheet

Name	CAS EC Index Reach	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	Notes for substances
hydrocarbons, C11-C12, isoalkanes, <2% aromatics	918-167-1 - 01-2119472146- 39	<5	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413 EUH066		/
hydrocarbons, C11-C13, isoalkanes, <2% aromatics	920-901-0 - 01-2119456810- 40	<5	Asp. Tox. 1; H304 EUH066	/	/
3- (trimethoxysilyl) propylamine	13822-56-5 237-511-5 - 01-2119510159- 45	<1	Skin Irrit. 2; H315 Eye Dam. 1; H318	/	/

# **SECTION 4: FIRST AID MEASURES**

#### **4.1 DESCRIPTION OF FIRST AID MEASURES**

#### General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### Following inhalation

Remove patient to fresh air - move out of dangerous area. If victim is not breathing give artificial respiration. If symptoms develop and persist, seek medical attention.

#### Following skin contact

Take off all contaminated clothing. Wash affected skin areas immediately with plenty of water and soap. If symptoms develop and persist, seek medical attention.

#### Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

#### Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

# 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

# Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

#### Following skin contact

Prolonged and repeated exposure may cause redness, itching and cracking of the skin in sensitive people. Prolonged and repeated exposure may cause degreasing of the skin. Can cause dry and chapped skin.

#### Following eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

# Following ingestion

May cause nausea/vomiting and diarrhea. Possible health hazard.

# 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information

# **SECTION 5: FIREFIGHTING MEASURES**

# **5.1 EXTINGUISHING MEDIA**

#### Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media



Creation date: 08.12.2014 Revision: 17.03.2023 version: 1.3

No information

#### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products

In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>).

#### **5.3 ADVICE FOR FIREFIGHTERS**

Protective actions

In case of fire or heating do not breathe fumes/vapours.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

No information.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation.

**Emergency procedures** 

No information.

For emergency responders

No information.

#### **6.2 ENVIRONMENTAL PRECAUTIONS**

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

#### 6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment

No information.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Clean contaminated area with plenty of water. Use of hot water is recommended.

# OTHER INFORMATION

No information.

# **6.4 REFERENCE TO OTHER SECTIONS**

See also sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

No information.

Measures to protect the environment

No information.

Other measures

No information.

# Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

#### Technical measures and storage conditions

Keep in cool and well ventilated area. Keep away from food, drink and animal feeding stuffs. Storage temperature: +5 - 25 ° C. Avoid high temperatures.

PARKETOLIT E65 Page 3 of 11 continued on next page...



version: 1.3

# Safety data sheet

Keep in a dry place. Keep away from moisture and water.

Packaging materials

No information.

Requirements for storage rooms and vessels

No information.

Storage class

No information.

Further information on storage conditions

No information.

#### 7.3 SPECIFIC END USE(S)

Recommendations

No information.

Industrial sector specific solutions

No information.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **8.1 CONTROL PARAMETERS**

Occupational Exposure limit values

No information.

# Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

#### **DNEL/DMEL values**

For product

No information.

For components

Name	Туре	Exposure route	exp. frequency	Remark	value
trimethoxyvinylsi lane	Worker	dermal	short term systemic effects	/	0.69 mg/kg bw/day
trimethoxyvinylsi lane	Worker	inhalation	short term systemic effects	/	4.9 mg/m <sup>3</sup>
trimethoxyvinylsi lane	Worker	dermal	long term systemic effects	/	0.69 mg/kg bw/day
trimethoxyvinylsi lane	Worker	inhalation	long term systemic effects	/	4.9 mg/m <sup>3</sup>

PNEC values

For product

No information.

For components

Name	Exposure route	Remark	value
trimethoxyvinylsilane	fresh water	1	0.34 mg/L
trimethoxyvinylsilane	marine water	/	0.034 mg/L
trimethoxyvinylsilane	water, intermittent release	/	3.4 mg/L

#### **8.2 EXPOSURE CONTROLS**

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with eyes and skin. Do not breathe vapours/aerosols.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure



Creation date: 08.12.2014 Revision: 17.03.2023 version: 1.3

#### No information

#### Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration.

#### Personal protective equipment

# Eye and face protection

No requirements under normal use conditions. If there is risk of splashing into eyes, wear safety glasses with side shields (BS EN ISO 16321-1:2022).

#### Hand protection

Protective gloves (EN 374).

# Appropriate materials

#### Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

# Respiratory protection

Not needed under normal use and adequate ventilation.

#### Thermal hazards

No information.

#### Environmental exposure controls

# Substance/mixture related measures to prevent exposure

No information

# Instruction measures to prevent exposure

No information.

# Organisational measures to prevent exposure

No information.

# Technical measures to prevent exposure

No information.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

#### Physical state

liquid - paste

# Colour

brown or ivory (see technical sheet)

#### Odour

mild

# Important health, safety and environmental information

important ricatin, safety and environmental information	
Odour threshold	No information.
Melting point/Freezing point	No information.
Boiling point or initial boiling point and boiling range	No information.
Flammability	No information.
Lower and upper explosion limit	No information.
Flash point	> 60 °C
Auto-ignition temperature	No information.
Decomposition temperature	No information.
рН	No information.
Viscosity	No information.
Solubility	Water: Insoluble
Partition coefficient	No information.
Vapour pressure	No information.
Density and/or relative density	Density: 1.3 — 1.7 g/cm <sup>3</sup> at 23 °C (IKM 4/24)
Relative vapour density	No information.
Particle characteristics	No information.



Creation date: 08.12.2014 Revision: 17.03.2023 version: 1.3

# 9.2 OTHER INFORMATION

**Explosive properties** No information.

# **SECTION 10: STABILITY AND REACTIVITY**

# **10.1 REACTIVITY**

No information.

#### **10.2 CHEMICAL STABILITY**

Product is stable under normal conditions of use, recommended handling and storage conditions.

#### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

In reaction with water, methanol is released.

#### **10.4 CONDITIONS TO AVOID**

No special precautions required. Consider the directions for use and storage.

# 10.5 INCOMPATIBLE MATERIALS

Moisture.

Water

# 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released. By reactions with water small amounts of methanol are formed.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1 INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008

(a) Acute toxicity

For components

Name	Exposure route	Туре	Species	Time	value	Method	Remark
trimethoxyvi nylsilane	oral	LD <sub>50</sub>	rat	/	> 7120 mg/kg	OECD 401	/
trimethoxyvi nylsilane	inhalation	LC <sub>50</sub>	rat	4 h	> 16.6 mg/l	OECD 403	/
trimethoxyvi nylsilane	dermal	LD <sub>50</sub>	rabbit	/	> 3540 mg/kg	/	/
hydrocarbo ns, C11- C13, isoalkanes, <2% aromatics	oral	LD <sub>50</sub>	rat	/	10000 mg/kg	/	/
hydrocarbo ns, C11- C13, isoalkanes, <2% aromatics	dermal	LD <sub>50</sub>	rabbit	/	3160 mg/kg	/	/
3- (trimethoxys ilyl)propyla mine	oral	LD <sub>50</sub>	rat	/	> 2000 mg/kg	/	/
3- (trimethoxys ilyl)propyla mine	dermal	LD <sub>50</sub>	rabbit	/	> 2000 mg/kg	/	/

# (b) Skin corrosion/irritation

No information.

Additional information



Creation date: 08.12.2014 Revision: 17.03.2023 version: 1.3

May cause skin irritation.

# (c) Serious eye damage/irritation

No information.

# Additional information

Eye contact may cause irritation.

# (d) Respiratory or skin sensitisation

No information.

# (e) (Germ cell) mutagenicity

No information.

# (f) Carcinogenicity

No information.

# (g) Reproductive toxicity

No information

# Summary of evaluation of the CMR properties

No information.

# (h) STOT-single exposure

No information.

# (i) STOT-repeated exposure

No information.

#### (i) Aspiration hazard

No information.

# Symptoms related to the physical, chemical and toxicological characteristics

No information.

# Interactive effects

No information.

# 11.2 INFORMATION ON OTHER HAZARDS

#### **Endocrine disrupting properties**

No information.

# Other information

No information.

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 TOXICITY

Acute (short-term) toxicity

For components

Name	Туре	value	Exposure time	Species	organism	Method	Remark
trimethoxyvi nylsilane	LC <sub>50</sub>	> 191 mg/L	/	fish	Oncorhynchu s mykiss	/	/
trimethoxyvi nylsilane	EC <sub>50</sub>	> 168.7 mg/L	48 h	daphnia	Daphnia magna	/	/
trimethoxyvi nylsilane	EC <sub>10</sub>	1000 mg/L	5 h	bacteria	Pseudomona s putida	/	/
hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics	EL <sub>0</sub>	1000 mg/L	48 h	daphnia	Daphnia magna	/	/



version: 1.3

# Safety data sheet

Name	Туре	value	Exposure time	Species	organism	Method	Remark
hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics	EL <sub>0</sub>	1000 mg/L	72 h	algae	Pseudokirchn eriella subcapitata	/	/
hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics	NOELR	1000 mg/L	72 h	algae	Pseudokirchn eriella subcapitata	/	/
hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics	LL <sub>0</sub>	1000 mg/L	96 h	fish	Oncorhynchu s mykiss	/	1

Chronic (long-term) toxicity

For components

Name	Туре	value	Exposure time	Species	organism	Method	Remark
trimethoxyvi nylsilane	NOEC	25 mg/l	7 days	algae	Pseudokirchn eriella subcapitata	/	/
trimethoxyvi nylsilane	EC50	210 mg/l	7 days	algae	Pseudokirchn eriella subcapitata	/	/
hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics	NOEC	0.011 mg/l	21 days	crustacea	Daphnia magna	/	1

# 12.2 PERSISTENCE AND DEGRADABILITY

Abiotic degradation, physical- and photo-chemical elimination

No information.

Biodegradation

For components

Name	Туре	Rate	Time	Evaluation	Method	Remark
trimethoxyvin ylsilane	aerobic	51 %	28 days	Non- biodegradable	OECD 301 F	/
hydrocarbons , C11-C12, isoalkanes, <2% aromatics	aerobic	31.3 %	28 days	readily biodegradable	/	/

Additional information

Not easily biodegradable.

# 12.3 BIOACCUMULATIVE POTENTIAL

Partition coefficient



Creation date: 08.12.2014 Revision: 17.03.2023 version: 1.3

No information

#### Bioconcentration factor (BCF)

No information.

#### 12.4 MOBILITY IN SOIL

Known or predicted distribution to environmental compartments

No information.

Surface tension

No information.

Adsorption/Desorption

No information.

#### 12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No evaluation

# 12.6 ENDOCRINE DISRUPTING PROPERTIES

No information.

#### 12.7 OTHER ADVERSE EFFECTS

No information.

#### 12.8 ADDITIONAL INFORMATION

For product

Do not allow to reach ground water, water courses or sewage system. In contact with water the material solidifies.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 WASTE TREATMENT METHODS

Product / Packaging disposal

Waste chemical

Dispose of in accordance with applicable governmental non-hazardous waste regulations.

# Waste codes / waste designations according to LoW

 $08\ 04\ 10$  - waste adhesives and sealants other than those mentioned in 080409

#### Packaging

Deliver completely emptied containers to approved waste disposal authorities. Dispose of in accordance with applicable waste disposal regulation. Containers must be recycled in accordance with national legislation and environmental regulations.

# Waste codes / waste designations according to LoW

15 01 - packaging (including separately collected municipal packaging waste)

# Waste treatment-relevant information

No information.

# Sewage disposal-relevant information

No information.

# Other disposal recommendations

No information.

# **SECTION 14: TRANSPORT INFORMATION**

ADR/RID	IMDG	IATA	ADN
14.1 UN number or ID number			
Not dangerous according to transport regulations.			
14.2 UN proper shipping name			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.3 Transport hazard class(es)			
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.4 Packing group			



Revision: 17.03.2023

Creation date: 08.12.2014

version: 1.3

# Safety data sheet

ADR/RID	IMDG	IATA	ADN
Not given/not applicable	Not given/not applicable	Not given/not applicable	Not given/not applicable
14.5 Environmental hazards			
NO	NO	NO	NO
14.6 Special precautions for user			
Limited quantities Not given/not applicable	Limited quantities Not given/not applicable		Limited quantities Not given/not applicable
14.7 Maritime transport in bulk according to IMO instruments			
	Not given/not applicable		

# **SECTION 15: REGULATORY INFORMATION**

# 15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

not applicable

Regulation EC 648/2004 on detergents

No information.

Special instructions

No information.

# 15.2 CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16: OTHER INFORMATION**

# Indication of changes

3.2 Mixtures 8.2 Exposure controls 9.1 Information on basic physical and chemical properties 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Key literature references and sources for data

No information.

Abbreviations and acronyms



version: 1.3

# Safety data sheet

ATE - Acute Toxicity Estimate

ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation

CEN - European Committee for Standards 200.

C&L - Classification and Labelling

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

CAS# - Chemical Abstracts Service number

CMR - Carcinogen, Mutagen, or Reproductive Toxicant

CSA - Chemical Safety Assessment CSR - Chemical Safety Report

DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level

DPD - Dangerous Preparations Directive 1999/45/EC

DSD - Dangerous Substances Directive 67/548/EEC

DU - Downstream User

EC - European Community

ECHA - European Chemicals Agency

EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)

EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)

EEC - European Economic Community

EINECS - European Inventory of Existing Commercial Substances ELINCS - European List of notified Chemical Substances

EN - European Standard

EQS - Environmental Quality Standard

EU - European Union

Euphrac - European Phrase Catalogue

EWC - European Waste Catalogue (replaced by LoW - see below)

GES - Generic Exposure Scenario

GHS - Globally Harmonized System

IATA - International Air Transport Association

ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air

IMDG - International Maritime Dangerous Goods

IMSBC - International Maritime Solid Bulk Cargoes

IT - Information Technology

IUCLID - International Uniform Chemical Information Database

IUPAC - International Union for Pure Applied Chemistry

JRC - Joint Research Centre

Kow - octanol-water partition coefficient

LC50 - Lethal Concentration to 50 % of a test population

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose)

LE - Legal Entity

LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm)

LR - Lead Registrant

M/I - Manufacturer / Importer

MS - Member States

MSDS - Material Safety Data Sheet

OC - Operational Conditions

OECD - Organization for Economic Co-operation and Development

OEL - Occupational Exposure Limit

OJ - Official Journal

OR - Only Representative

OSHA - European Agency for Safety and Health at work

PBT - Persistent, Bioaccumulative and Toxic substance

PEC - Predicted Effect Concentration

PNEC(s) - Predicted No Effect Concentration(s)

PPE - Personal Protection Equipment

(Q)SAR - Qualitative Structure Activity Relationship

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

RIP - REACH Implementation Project

RMM - Risk Management Measure

SCBA - Self-Contained Breathing Apparatus

SDS - Safety data sheet

SIEF - Substance Information Exchange Forum

SME - Small and Medium sized Enterprises STOT - Specific Target Organ Toxicity

(STOT) RE - Repeated Exposure

(STOT) SE - Single Exposure

SVHC - Substances of Very High Concern

**UN - United Nations** 

vPvB - Very Persistent and Very Bioaccumulative

# List of relevant H phrases

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.

PARKETOLIT E65 Page 11 of 11