

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. PRODUCT IDENTIFIER

Product name

EPOKOL MIX5 Komponenta A



chemius.net/Fd5d3

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses

Two component epoxy adhesive - component A

Uses advised against

No information.

1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier

MITOL, tovarna lepil, d.o.o., Sežana
Address: Partizanska c. 78 Sežana, Slovenia
Phone: +386 5 73 12 300
Fax: +386 5 73 12 390
E-mail: lilijana.kocjan@mitol.si
Point of contact for safety info: Lilijana Kocjan Žorž

1.4. EMERGENCY TELEPHONE NUMBER

112

+386 5 73 12 300 (8:00-16:00)

SECTION 2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE


Classification according to Regulation (EC) No 1272/2008 (CLP)

Skin Irrit. 2; H315 Causes skin irritation.
Skin Sens. 1; H317 May cause an allergic skin reaction.
Eye Irrit. 2; H319 Causes serious eye irritation.
Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

2.2 LABEL ELEMENTS

2.2.1. Labelling according to Regulation (EC) No 1272/2008 [CLP]



Signal word: **Warning**

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
P102 Keep out of reach of children.
P261 Avoid breathing vapours.
P273 Avoid release to the environment.
P280 Wear protective gloves/eye protection/face protection.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with national regulation.

2.2.2. Contains:

bis-[4-(2,3-epoxypropoxy)phenyl]propane (CAS: 1675-54-3, EC: 216-823-5, Index: 603-073-00-2)
Phenol, polymer with formaldehyde, glycidyl ether (CAS: 9003-36-5)

2.2.3. Special provisions

Special hazards are not known or expected.

2.3. OTHER HAZARDS

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Product description

Modified epoxy resin.

3.1. SUBSTANCES

For mixtures see 3.2.

3.2. MIXTURES

Name	CAS EC Index	%	Classification according to Regulation (EC) No 1272/2008 (CLP)	Specific Conc. Limits	REACH Registration No.
bis-[4-(2,3-epoxypropoxy)phenyl]propane	1675-54-3 216-823-5 603-073-00-2	50-100	Skin Irrit. 2; H315 Skin Sens. 1; H317 Eye Irrit. 2; H319 Aquatic Chronic 2; H411	Skin Irrit. 2; H315: C ≥ 5 % Eye Irrit. 2; H319: C ≥ 5 %	01-2119456619-26
Phenol, polymer with formaldehyde, glycidyl ether	9003-36-5 - -	5-<7	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 2; H411		01-2119454392-40
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane	2530-83-8 219-784-2 -	1-<2,5	Eye Dam. 1; H318 Aquatic Chronic 3; H412		01-2119513212-58

SAFETY DATA SHEET

SECTION 4. FIRST AID MEASURES

4.1. DESCRIPTION OF FIRST AID MEASURES

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. Take off all contaminated clothing immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Following inhalation

Remove patient to fresh air - move out of dangerous area. Victim should rest in a warm place. If symptoms occur, seek medical advice. If breathing is irregular or respiratory arrest occurs provide artificial respiration. In case of unconsciousness bring patient into stable side position and seek medical attention.

Following skin contact

Immediately remove contaminated clothing. Wash affected skin areas thoroughly with plenty of water and soap. Do not use solvents or thinners. If symptoms persist seek medical attention. Wash contaminated clothes and shoes before reuse.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. Remove contact lenses, if present and easy to do. If irritation does not stop, seek professional medical treatment!

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. If the affected person is lying on his back, put him into a stable side position in the case of spontaneous vomiting. Maintain an open airway. Immediately consult a doctor. Show the physician the safety data sheet or label.

4.2. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.
Coughing, sneezing, nasal discharge, labored breathing.

Skin contact

Irritating to the skin.
Itching, redness, pain.
May cause sensitisation by skin contact (symptoms: itching, redness, rashes).

Eye contact

Causes severe eye irritation.
Redness, tearing, pain.

Ingestion

Irritates mucous membranes in the mouth, throat, esophagus and in gastrointestinal area.
May cause nausea/vomiting and diarrhea.
May cause abdominal discomfort.

4.3. INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

-

SECTION 5. FIREFIGHTING MEASURES

5.1. EXTINGUISHING MEDIA

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Carbon dioxide (CO₂).
Foam.
Water spray.
Sand.

SAFETY DATA SHEET

Unsuitable extinguishing media

Full water jet.

5.2. SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products

In case of a fire toxic gases can be generated; do not inhale gases/smoke. In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO₂). Smoke.

5.3. ADVICE FOR FIREFIGHTERS

Protective actions

In case of fire evacuate the area. In case of fire or heating do not breathe fumes/vapours. Prolonged heating can cause an explosion. Cool containers at risk with water spray. If possible remove containers from endangered area. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for firefighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

Contaminated firefighting water must be disposed of in accordance with the regulations; do not allow to reach the sewage system. Contaminated firefighting water and fire residues must be disposed of in accordance with the local regulations.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1. For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8). Refer to protective measures listed in Sections 7 and 8.

Emergency procedures

Ensure adequate ventilation. Evacuate personnel. Prevent access to unprotected personnel. Prevent access to unauthorised personnel. Avoid contact with skin, eyes and clothing. Do not breathe vapour or mist.

6.1.2. For emergency responders

Use personal protective equipment.

6.2. ENVIRONMENTAL PRECAUTIONS

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3. METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

6.3.1. For containment

Stem the spill if this does not pose risks.

6.3.2. For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Dispose in accordance with applicable regulations (see Section 13).

6.3.3. Other information

-

6.4. REFERENCE TO OTHER SECTIONS

See also Sections 8 and 13.

SAFETY DATA SHEET

SECTION 7. HANDLING AND STORAGE

7.1. PRECAUTIONS FOR SAFE HANDLING

7.1.1. Protective measures

Measures to prevent fire

Ensure adequate ventilation. Prevent contact of the substance with open flame, sparks or hot surfaces.

Measures to prevent aerosol and dust generation

Use general or local exhaust ventilation to prevent inhaling vapours and aerosols.

Measures to protect the environment

Do not discharge into drains, surface water and soil. After use immediately close container tightly.

7.1.2. Advice on general occupational hygiene

Wear suitable protective equipment; see Section 8. Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes. Do not breathe vapours/mist. Do not ingest the product. Remove contaminated clothes and wash them before reuse. Persons with a history of skin sensitisation problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used.

7.2. CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

7.2.1. Technical measures and storage conditions

Store in accordance with local regulations. Keep in a cool, dry and well ventilated place. Store at room temperature. Protect from open fire, heat and direct sunlight. Keep container closed. Keep in properly labelled containers. Keep away from oxidizers, strong alkalies and acids. Keep away from amines. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

7.2.2. Packaging materials

The original container of producer.

7.2.3. Requirements for storage rooms and vessels

Close opened containers after use. Put the containers upright to prevent from leaking.

7.2.4. Storage class

-

7.2.5. Further information on storage conditions

-

7.3. SPECIFIC END USE(S)

Recommendations

Consult the technical guidelines for the use of this substance/mixture.

Industrial sector specific solutions

-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. CONTROL PARAMETERS

8.1.1. Occupational exposure limit values

No information.

8.1.2. Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 482:2012+A1:2015 Workplace exposure. General requirements for the performance of procedures for the measurement of chemical agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values.

SAFETY DATA SHEET

8.1.3. DNEL/DMEL values

For components

Name	Type	Exposure route	Exposure frequency	Value	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Worker	inhalation	long term (systemic effects)	4,93 mg/m ³	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Worker	dermal	long term (systemic effects)	0,75 mg/kg bw/day	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Consumer	inhalation	long term (systemic effects)	0,87 mg/m ³	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Consumer	dermal	long term (systemic effects)	0,0893 mg/kg bw/day	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Consumer	oral	long term (systemic effects)	0,5 mg/kg bw/day	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	Worker	dermal	long term (systemic effects)	10 mg/kg bw/day	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	Worker	inhalation	long term (systemic effects)	70,5 mg/m ³	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	Consumer	inhalation	long term (systemic effects)	17 mg/m ³	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	Consumer	dermal	long term (systemic effects)	5 mg/kg bw/day	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	Consumer	oral	long term (systemic effects)	5 mg/kg bw/day	

8.1.4. PNEC values

For components

Name	Exposure route	Value	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	fresh water	0,006 mg/L	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	marine water	0,001 mg/L	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	fresh water sediment	0,341 mg/kg	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	marine water sediment	0,034 mg/kg	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	water treatment plant	10 mg/L	
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	soil	0,065 mg/kg	dry weight
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	food chain	11 mg/kg feed	oral
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	water, intermittent release	0,018 mg/L	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	water treatment plant	8,2 mg/L	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	fresh water	0,45 mg/L	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	marine water	0,045 mg/L	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	water, intermittent release	0,45 mg/L	fresh water
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	fresh water sediment	1,6 mg/kg	dry weight
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	soil	0,063 mg/kg	dry weight
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	marine water sediment	0,16 mg/kg	dry weight

8.2. EXPOSURE CONTROLS

8.2.1. Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Handle in accordance with good industrial hygiene and safety practice. Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes. Keep away from foodstuffs, beverages and feed. Do not breathe vapours/aerosols.

SAFETY DATA SHEET

Organisational measures to prevent exposure

Remove all contaminated clothes immediately and wash them before reuse. Keep eyewash bottles or personal eyewash units and emergency showers available.

Technical measures to prevent exposure

Provide good ventilation and local exhaust in areas with increased concentration. If the vapour/dust concentration exceeds the limit values despite the technical measures, wear personal protective equipment.

8.2.2. Personal protective equipment

Eye and face protection

Safety glasses with side protection (EN 166). Do not use contact lenses.

Hand protection

Protective gloves (EN 374). The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Observe the manufacturer's instructions regarding the use, storage, maintenance and replacement of gloves. In case of damage or at the first signs of wear and tear, change the gloves immediately. The penetration time is determined by the protective glove manufacturer and must be observed.

Skin protection

Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345).

Respiratory protection

In case of insufficient ventilation wear suitable respiratory protection. At elevated concentrations of vapours/aerosols in the air wear a mask (EN 140) with filter A2-P2 (EN 14387). 'High/elevated concentrations' means that the occupational exposure limit values have been exceeded.

Thermal hazards

None under normal use conditions.

8.2.3. Environmental exposure controls

Technical measures to prevent exposure

Do not allow product to reach drains, sewage systems or ground water.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

-	Physical state:	liquid
-	Colour:	slight yellow tint
-	Odour:	mild

SAFETY DATA SHEET

Important health, safety and environmental information

-	pH	4 – 6, conc. 1 %
-	Melting point/freezing point	No information.
-	Initial boiling point/boiling range	> 200 °C
-	Flash point	150 °C
-	Evaporation rate	No information.
-	Flammability (solid, gas)	No information.
-	Explosion limits (vol%)	No information.
-	Vapour pressure	No information.
-	Vapour density	No information.
-	Density	Density: 1,15 g/cm ³ at 25 °C
-	Solubility	No information.
-	Partition coefficient	No information.
-	Auto-ignition temperature	No information.
-	Decomposition temperature	No information.
-	Viscosity	Dynamic: 8000 – 12000 mPas at 25 °C
-	Explosive properties	No information.
-	Oxidising properties	No information.

9.2. OTHER INFORMATION

-	Remarks:	
---	-----------------	--

SECTION 10. STABILITY AND REACTIVITY

10.1. REACTIVITY

Stable under recommended transport or storage conditions.

10.2. CHEMICAL STABILITY

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3. POSSIBILITY OF HAZARDOUS REACTIONS

Reactions with bases. Reacts with strong oxidising agents. Reacts with amines.

10.4. CONDITIONS TO AVOID

No special precautions required. Consider the directions for use and storage.

10.5. INCOMPATIBLE MATERIALS

Bases.
Oxidants.
Amines.
Acids.

10.6. HAZARDOUS DECOMPOSITION PRODUCTS

In case of fire/explosion vapours/gases that pose a health hazard are released. Carbon dioxide; Carbon monoxide.
Hydrocarbons.

SAFETY DATA SHEET

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

(a) Acute toxicity

Name	Exposure route	Type	Species	Time	Value	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	oral	LD ₅₀	rat (female)		> 2000 mg/kg	OECD 420	GLP
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	dermal	LD ₅₀	rat (male/female)		> 2000 mg/kg	OECD 402	GLP
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	dermal	LD ₅₀	rabbit (male)		4250 mg/kg	OECD 402	
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	inhalation (dusts/mists)	LC ₅₀	rat (male/female)	4 h	> 5,3 mg/l	OECD 403	GLP

Additional information: The product is not classified for acute toxicity.

(b) Skin corrosion/irritation

Name	Species	Time	Result	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	rabbit	4 h	Irritating.	OECD 404	GLP
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	rabbit		Non-irritant.	OECD 404	

Additional information: Causes skin irritation.

(c) Serious eye damage/irritation

Name	Species	Time	Result	Method	Remark
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	rabbit		Danger of serious eye injury.	OECD 405	

Additional information: Causes serious eye irritation.

(d) Respiratory or skin sensitisation

Name	Exposure route	Species	Time	Result	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	dermal	mouse		Sensitizing.	OECD 429	LLNA (Local Lymph Node Assay)
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	dermal	guinea pig		Non sensitising.	OECD 406	Buehler test

Additional information: May cause an allergic skin reaction.

(e) (Germ cell) mutagenicity

No information.

(f) Carcinogenicity

No information.

(g) Reproductive toxicity

No information.

Summary of evaluation of the CMR properties

The product is not classified as carcinogenic, mutagenic or toxic for reproduction.

(h) STOT-single exposure

Additional information: STOT SE (single exposure): Not classified.

SAFETY DATA SHEET

(i) STOT-repeated exposure

Additional information: STOT RE (repeated exposure): Not classified.

(j) Aspiration hazard

Name	Result	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Aspiration hazard: Not Classified.		
Additional information: Aspiration hazard: Not classified.			

SECTION 12. ECOLOGICAL INFORMATION

12.1. TOXICITY

12.1.1. Acute (short-term) toxicity

For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	EC ₅₀	1,7 mg/L	48 h	crustacea	<i>Daphnia magna</i>	OECD 202	GLP
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	LC ₅₀	55 mg/L	96 h	fish	<i>Cyprinus carpio</i>	Directive 67/548/EEC, Annex V, C.1.	Semi-static system

12.1.2. Chronic (long-term) toxicity

For components

Substance (CAS Nr.)	Type	Value	Exposure time	Species	Organism	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	NOEC	0,3 mg/l	21 days	crustacea	<i>Daphnia magna</i>	OECD 211	semi-static, experimental value, GLP
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	NOEC	> 100 mg/l	21 days	crustacea	<i>Daphnia magna</i>	OECD 211	semi-static, experimental value, GLP

12.2. PERSISTENCE AND DEGRADABILITY

12.2.1. Abiotic degradation, physical- and photo-chemical elimination

No information.

12.2.2. Biodegradation

For components

Substance (CAS Nr.)	Type	Rate	Time	Evaluation	Method	Remark
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	aerobic			not readily biodegradable	OECD 301 F	GLP
[3-(2,3-epoxypropoxy)propyl]trimethoxysilane (2530-83-8)	biodegradability			Not easily biodegradable.	Directive 67/548/EEC Annex V, C.4.A.	GLP

12.3. BIOACCUMULATIVE POTENTIAL

12.3.1. Partition coefficient

For components

Substance (CAS Nr.)	Media	Value	Temperature	pH	Concentration	Method
bis-[4-(2,3-epoxypropoxy)phenyl]propane (1675-54-3)	Log Pow	3,242	25 °C	7,1		OECD 117

SAFETY DATA SHEET

12.3.2. Bioconcentration factor (BCF)

No information.

12.4. MOBILITY IN SOIL

12.4.1. Known or predicted distribution to environmental compartments

No information.

12.4.2. Surface tension

No information.

12.4.3. Adsorption/Desorption

No information.

12.5. RESULTS OF PBT AND VPVB ASSESSMENT

The product does not contain any PBT or vPvB substances in percentages greater than 0.1%.

12.6. OTHER ADVERSE EFFECTS

No information.

12.7. ADDITIONAL INFORMATION

For product

Toxic to aquatic life with long lasting effects.

Do not allow to reach ground water, water courses or sewage system.

Handle in accordance with good working practices so that the product is not released into the environment.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. WASTE TREATMENT METHODS

13.1.1. Product / Packaging disposal

Waste chemical

Do not allow product to reach drains/sewage systems. Do not dispose together with household garbage. Disposal must be made according to official regulations: deliver it to authorised collector/remover/transformer of hazardous waste. Dispose of in accordance with applicable waste disposal regulation.

Packaging

Uncleaned containers are classified as hazardous waste - they should be handled in the same manner as the contents. Cleaned uncontaminated packaging may be taken for recycling. Deliver completely emptied containers to approved waste disposal authorities. Dispose of in accordance with applicable waste disposal regulation.

13.1.2. Waste treatment-relevant information

-

13.1.3. Sewage disposal-relevant information

-

13.1.4. Other disposal recommendations

-

SECTION 14. TRANSPORT INFORMATION

14.1. UN NUMBER

UN 3082

14.2. UN PROPER SHIPPING NAME

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis-[4-(2,3-epoxypropoxy)phenyl]propane, Phenol, polymer with formaldehyde, glycidyl ether)



SAFETY DATA SHEET

14.3. TRANSPORT HAZARD CLASS(ES)

9

14.4. PACKING GROUP

III

14.5. ENVIRONMENTAL HAZARDS

Additional labeling: ENVIRONMENTALLY HAZARDOUS

IMDG: MARINE POLLUTANT

14.6. SPECIAL PRECAUTIONS FOR USER

If the product is packaged in packagings ≤ 5 liters or ≤ 5 kg, marking with the ADR (5.2.1.8) label dangerous for the environment is not necessary.

Limited quantities

5 L

Tunnel restriction code

(-)

IMDG flashpoint

150 °C, c.c.

IMDG EmS

F-A, S-F



14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE

Goods may not be carried in bulk in bulk containers, containers or vehicles.

SECTION 15. REGULATORY INFORMATION

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2015/830)
- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.1.1. Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

Not applicable.

15.1.2. Special instructions

SVHC (substance of very high concern) Candidate list: The product does not contain substances on the SVHC candidate list.
Seveso III, E2: hazardous to the aquatic environment.
Prescribed quantity (SEVESO III, E2): Lower threshold: 200 t. Upper threshold: 500 t.
RoHS EU Directive 2011/65 / EU: substances are not listed.
We do not add Conflict minerals to the product.

15.2. CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16. OTHER INFORMATION

Indication of changes

-

Abbreviations and acronyms

SAFETY DATA SHEET

ATE - Acute Toxicity Estimate
ADR - Agreement concerning the International Carriage of Dangerous Goods by Road
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
CEN - European Committee for Standardisation
C&L - Classification and Labelling
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
CAS# - Chemical Abstracts Service number
CMR - Carcinogen, Mutagen, or Reproductive Toxicant
CSA - Chemical Safety Assessment
CSR - Chemical Safety Report
DMEL - Derived Minimal Effect Level
DNEL - Derived No Effect Level
DPD - Dangerous Preparations Directive 1999/45/EC
DSD - Dangerous Substances Directive 67/548/EEC
DU - Downstream User
EC - European Community
ECHA - European Chemicals Agency
EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS)
EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway)
EEC - European Economic Community
EINECS - European Inventory of Existing Commercial Substances
ELINCS - European List of notified Chemical Substances
EN - European Standard
EQS - Environmental Quality Standard
EU - European Union
Euphrac - European Phrase Catalogue
EWC - European Waste Catalogue (replaced by LoW – see below)
GES - Generic Exposure Scenario
GHS - Globally Harmonized System
IATA - International Air Transport Association
ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air
IMDG - International Maritime Dangerous Goods
IMSBC - International Maritime Solid Bulk Cargoes
IT - Information Technology
IUCLID - International Uniform Chemical Information Database
IUPAC - International Union for Pure Applied Chemistry
JRC - Joint Research Centre
Kow - octanol-water partition coefficient
LC₅₀ - Lethal Concentration to 50 % of a test population
LD₅₀ - Lethal Dose to 50% of a test population (Median Lethal Dose)
LE - Legal Entity
LoW - List of Wastes (see <http://ec.europa.eu/environment/waste/framework/list.htm>)
LR - Lead Registrant
M/I - Manufacturer / Importer
MS - Member States
MSDS - Material Safety Data Sheet
OC - Operational Conditions
OECD - Organization for Economic Co-operation and Development
OEL - Occupational Exposure Limit
OJ - Official Journal
OR - Only Representative
OSHA - European Agency for Safety and Health at work
PBT - Persistent, Bioaccumulative and Toxic substance
PEC - Predicted Effect Concentration
PNEC(s) - Predicted No Effect Concentration(s)
PPE - Personal Protection Equipment
(Q)SAR - Qualitative Structure Activity Relationship
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail
RIP - REACH Implementation Project
RMM - Risk Management Measure
SCBA - Self-Contained Breathing Apparatus
SDS - Safety data sheet

SAFETY DATA SHEET

SIEF - Substance Information Exchange Forum
SME - Small and Medium sized Enterprises
STOT - Specific Target Organ Toxicity
(STOT) RE - Repeated Exposure
(STOT) SE - Single Exposure
SVHC - Substances of Very High Concern
UN - United Nations
vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data

-

List of relevant H phrases

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

The information of this SDS is based on the present state of our knowledge and meets the requirements of EU and national laws. The user's working conditions however, are beyond our knowledge and control. The product is not to be used for purposes other than those specified under Section 1 without a written permission. It remains the responsibility of the user to ensure that the necessary steps are taken to meet the laws and regulations. Handling of the product may only be done by people above 18 years of age, who are satisfactorily informed of how to do the work, the hazardous properties and necessary safety precautions. The information given in this SDS is to describe the product only in terms of health and safety requirements and should not, therefore, be construed as guaranteeing specific properties.