

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

Product name PARKETOLIT E65

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Relevant identified uses

One-component adhesive based on modified polyurethanes for bonding wood and other materials

Uses advised against No information.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Supplier

MITOL, tovarna lepil, d.o.o., Sežana Partizanska c. 78 6210 Sežana, Slovenia +386 5 73 12 300 (8:00-16:00) lilijana.kocjan@mitol.si

1.4 EMERGENCY TELEPHONE NUMBER

Emergency 112

Supplier

+386 5 73 12 300 (8:00-16:00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

<u>Classification according to Regulation (EC) No 1272/2008 (CLP)</u> According to the regulation, the chemical is not classified as hazardous.

2.2 LABEL ELEMENTS

Labelling according to Regulation (EC) No 1272/2008 [CLP] Pictograms not applicable according to Regulation 1272/2008.

2.3 OTHER HAZARDS

<u>PBT/vPvB</u> No information. <u>Endocrine disrupting properties</u> No information. <u>Additional information</u>

In contact with moisture small amounts of methanol is released.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCES

For mixtures see 3.2.

3.2 MIXTURES

| Name | CAS EC Index Reach | | Classification according to Regulation (EC) No 1272/2008 (CLP) | Specific Conc. Limits | Notes for substances |
|---------------------------|---|----|--|--------------------------|-------------------------|
| trimethoxyvinylsi lane | 2768-02-7 220-449-8 - 01-2119513215- 52 | <5 | Flam. Liq. 3; H226 Acute Tox. 4; H332 | / | 1 |



https://my.chemius.net/p/4X9II B/en/pd/en



| Name | CAS EC Index Reach | % | Classification according to Regulation (EC) No 1272/2008 (CLP) | Specific Conc. Limits | Notes for substances |
|---|--|----|---|--------------------------|-------------------------|
| hydrocarbons, C11-C12, isoalkanes, <2% aromatics | - 918-167-1 - 01-2119472146- 39 | <5 | Flam. Liq. 3; H226 Asp. Tox. 1; H304 Aquatic Chronic 4; H413 EUH066 | | / |
| hydrocarbons, C11-C13, isoalkanes, <2% aromatics | - 920-901-0 - 01-2119456810- 40 | <5 | Asp. Tox. 1; H304 EUH066 | 1 | / |
| 3- (trimethoxysilyl) propylamine | 13822-56-5 237-511-5 - 01-2119510159- 45 | <1 | Skin Irrit. 2; H315 Eye Dam. 1; H318 | / | / |

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General notes

Never give anything by mouth to an unconscious person. Place patient in recovery position and ensure airway patency. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Following inhalation

Remove patient to fresh air - move out of dangerous area. If victim is not breathing give artificial respiration. If symptoms develop and persist, seek medical attention.

Following skin contact

Take off all contaminated clothing. Wash affected skin areas immediately with plenty of water and soap. If symptoms develop and persist, seek medical attention.

Following eye contact

Immediately flush eyes with running water, keeping eyelids apart. If irritation persists, seek professional medical attention.

Following ingestion

Do not induce vomiting! Rinse mouth thoroughly with water. In case of doubt or if feeling unwell seek medical help. Show the physician the safety data sheet or label.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Following inhalation

Excessive exposure to spray mist, fog, or vapours may cause respiratory irritation.

Following skin contact

Prolonged and repeated exposure may cause redness, itching and cracking of the skin in sensitive people. Prolonged and repeated exposure may cause degreasing of the skin. Can cause dry and chapped skin.

Following eye contact

Contact with eyes can cause irritation (redness, tearing, pain).

Following ingestion

May cause nausea/vomiting and diarrhea. Possible health hazard.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

No information.

SECTION 5: FIREFIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media

Carbon dioxide. Dry chemical powder. Water spray. Alcohol resistant foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media



No information.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous combustion products

In the event of fire the following can be generated: carbon monoxide (CO), carbon dioxide (CO₂).

5.3 ADVICE FOR FIREFIGHTERS

Protective actions

In case of fire or heating do not breathe fumes/vapours.

Special protective equipment for fire-fighters

Firefighters should wear appropriate protective clothing for firefighters (including helmets, protective boots and gloves) (EN 469) and self-contained breathing apparatus (SCBA) with a full face-piece (EN 137).

Additional information

No information.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

For non-emergency personnel

Protective equipment

Use personal protective equipment (Section 8).

Precautionary measures

Ensure adequate ventilation.

Emergency procedures

No information.

For emergency responders

No information.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow product to reach water/drains/sewage systems or permeable soil. If accidental large entry into water or ground occurs, inform responsible authorities.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

For containment

No information.

For cleaning up

Absorb product (with inert material), collect it in special container and dispose it to a licensed hazardous-waste disposal contractor. Clean contaminated area with plenty of water. Use of hot water is recommended.

OTHER INFORMATION

No information.

6.4 REFERENCE TO OTHER SECTIONS

See also sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Protective measures

Measures to prevent fire

Ensure adequate ventilation.

Measures to prevent aerosol and dust generation

No information.

Measures to protect the environment

No information.

Other measures

No information.

Advice on general occupational hygiene

Use good personal hygiene practices – wash hands at breaks and when done working with material. Do not eat, drink or smoke while working. Do not breathe vapours/mist.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Technical measures and storage conditions

Keep in cool and well ventilated area. Keep away from food, drink and animal feeding stuffs. Storage temperature: +5 - 25 ° C. Avoid high temperatures.



Keep in a dry place. Keep away from moisture and water.

Packaging materials

No information.

Requirements for storage rooms and vessels

No information.

Storage class

No information.

Further information on storage conditions

No information.

7.3 SPECIFIC END USE(S)

Recommendations

No information.

Industrial sector specific solutions No information.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Occupational Exposure limit values

No information.

Information on monitoring procedures

BS EN 14042:2003 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. BS EN 689:2018 Workplace exposure. Measurement of exposure by inhalation to chemical agents. Strategy for testing compliance with occupational exposure limit values. BS EN 482:2021 Workplace exposure. Procedures for the determination of the concentration of chemical agents. Basic performance requirements.

DNEL/DMEL values

For product

No information.

For components

| Name | Туре | Exposure route | exp. frequency | Remark | value |
|---------------------------|--------|----------------|--------------------------------|--------|-----------------------|
| trimethoxyvinylsi lane | Worker | dermal | short term systemic effects | / | 0.69 mg/kg bw/day |
| trimethoxyvinylsi lane | Worker | inhalation | short term systemic effects | / | 4.9 mg/m ³ |
| trimethoxyvinylsi lane | Worker | dermal | long term systemic effects | / | 0.69 mg/kg bw/day |
| trimethoxyvinylsi lane | Worker | inhalation | long term systemic effects | / | 4.9 mg/m ³ |

PNEC values

For product

No information.

For components

| Name | Exposure route | Remark | value |
|-----------------------|-----------------------------|--------|------------|
| trimethoxyvinylsilane | fresh water | / | 0.34 mg/L |
| trimethoxyvinylsilane | marine water | / | 0.034 mg/L |
| trimethoxyvinylsilane | water, intermittent release | / | 3.4 mg/L |

8.2 EXPOSURE CONTROLS

Appropriate engineering control

Substance/mixture related measures to prevent exposure during identified uses

Use good personal hygiene practices – wash hands at breaks and when done working with material. Avoid contact with eyes and skin. Do not breathe vapours/aerosols.

Structural measures to prevent exposure

No information.

Organisational measures to prevent exposure



No information

Safety data sheet

Technical measures to prevent exposure Provide good ventilation and local exhaust in areas with increased concentration. Personal protective equipment Eye and face protection No requirements under normal use conditions. If there is risk of splashing into eyes, wear safety glasses with side shields (BS EN ISO 16321-1:2022). Hand protection Protective gloves (EN 374). Appropriate materials Skin protection Cotton protective clothing and shoes that cover the entire foot (EN ISO 20345). Respiratory protection Not needed under normal use and adequate ventilation. Thermal hazards No information. Environmental exposure controls Substance/mixture related measures to prevent exposure No information. Instruction measures to prevent exposure No information. Organisational measures to prevent exposure No information. Technical measures to prevent exposure No information.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

<u>Physical state</u> liquid - paste <u>Colour</u> brown or ivory (see technical sheet) <u>Odour</u> mild

Important health, safety and environmental information

| Odour threshold | No information. |
|--|--|
| Melting point/Freezing point | No information. |
| Boiling point or initial boiling point and boiling range | No information. |
| Flammability | No information. |
| Lower and upper explosion limit | No information. |
| Flash point | > 60 °C |
| Auto-ignition temperature | No information. |
| Decomposition temperature | No information. |
| pH | No information. |
| Viscosity | No information. |
| Solubility | Water: Insoluble |
| Partition coefficient | No information. |
| Vapour pressure | No information. |
| Density and/or relative density | Density: 1.3 — 1.7 g/cm ³ at 23 °C (IKM 4/24) |
| Relative vapour density | No information. |
| Particle characteristics | No information. |
| | |



9.2 OTHER INFORMATION

Explosive properties

No information.

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No information.

10.2 CHEMICAL STABILITY

Product is stable under normal conditions of use, recommended handling and storage conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

In reaction with water, methanol is released.

10.4 CONDITIONS TO AVOID

No special precautions required. Consider the directions for use and storage.

10.5 INCOMPATIBLE MATERIALS

Moisture. Water.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours/gases that pose a health hazard are released. By reactions with water small amounts of methanol are formed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON HAZARD CLASSES AS DEFINED IN REGULATION (EC) NO 1272/2008

(a) Acute toxicity

For components

| Name | Exposure route | Туре | Species | Time | value | Method | Remark |
|---|-------------------|------------------|---------|------|--------------|----------|--------|
| trimethoxyvi nylsilane | oral | LD ₅₀ | rat | / | > 7120 mg/kg | OECD 401 | / |
| trimethoxyvi nylsilane | inhalation | LC ₅₀ | rat | 4 h | > 16.6 mg/l | OECD 403 | / |
| trimethoxyvi nylsilane | dermal | LD ₅₀ | rabbit | / | > 3540 mg/kg | / | / |
| hydrocarbo ns, C11- C13, isoalkanes, <2% aromatics | oral | LD ₅₀ | rat | / | 10000 mg/kg | / | / |
| hydrocarbo ns, C11- C13, isoalkanes, <2% aromatics | dermal | LD ₅₀ | rabbit | / | 3160 mg/kg | 1 | / |
| 3- (trimethoxys ilyl)propyla mine | oral | LD ₅₀ | rat | / | > 2000 mg/kg | / | / |
| 3- (trimethoxys ilyl)propyla mine | dermal | LD ₅₀ | rabbit | / | > 2000 mg/kg | / | / |

(b) Skin corrosion/irritation

No information.

Additional information



| | May cause skin irritation. |
|---|--|
| | (c) Serious eye damage/irritation |
| | No information. |
| | Additional information |
| | Eye contact may cause irritation. |
| | (d) Respiratory or skin sensitisation |
| | No information. |
| | (e) (Germ cell) mutagenicity |
| | No information. |
| | (f) Carcinogenicity |
| | No information. |
| | (g) Reproductive toxicity |
| | No information. |
| | Summary of evaluation of the CMR properties |
| | No information. |
| | (h) STOT-single exposure |
| | No information. |
| | (i) STOT-repeated exposure |
| | No information. |
| | (j) Aspiration hazard |
| | No information. |
| | Symptoms related to the physical, chemical and toxicological characteristics |
| | No information. |
| | Interactive effects |
| | No information. |
| 1 | 1.2 INFORMATION ON OTHER HAZARDS |
| | Endocrine disrupting properties |
| | No information. |
| | Other information |

Other information No information.

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY

Acute (short-term) toxicity

For components

| Name | Туре | value | Exposure time | Species | organism | Method | Remark |
|---|------------------|--------------|------------------|----------|-------------------------|--------|--------|
| trimethoxyvi nylsilane | LC ₅₀ | > 191 mg/L | / | fish | Oncorhynchu s mykiss | / | / |
| trimethoxyvi nylsilane | EC ₅₀ | > 168.7 mg/L | 48 h | daphnia | Daphnia magna | / | / |
| trimethoxyvi nylsilane | EC ₁₀ | 1000 mg/L | 5 h | bacteria | Pseudomona s putida | / | / |
| hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics | EL ₀ | 1000 mg/L | 48 h | daphnia | Daphnia magna | 1 | / |



| Name | Туре | value | Exposure time | Species | organism | Method | Remark |
|---|-----------------|-----------|------------------|---------|--|--------|--------|
| hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics | EL ₀ | 1000 mg/L | 72 h | algae | Pseudokirchn eriella subcapitata | / | / |
| hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics | NOELR | 1000 mg/L | 72 h | algae | Pseudokirchn eriella subcapitata | 1 | 1 |
| hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics | LL ₀ | 1000 mg/L | 96 h | fish | Oncorhynchu s mykiss | / | / |

Chronic (long-term) toxicity

For components

| Name | Туре | value | Exposure time | Species | organism | Method | Remark |
|---|------|------------|------------------|-----------|--|--------|--------|
| trimethoxyvi nylsilane | NOEC | 25 mg/l | 7 days | algae | Pseudokirchn eriella subcapitata | / | / |
| trimethoxyvi nylsilane | EC50 | 210 mg/l | 7 days | algae | Pseudokirchn eriella subcapitata | / | / |
| hydrocarbo ns, C11- C12, isoalkanes, <2% aromatics | NOEC | 0.011 mg/l | 21 days | crustacea | Daphnia magna | 1 | / |

12.2 PERSISTENCE AND DEGRADABILITY

Abiotic degradation, physical- and photo-chemical elimination

- No information.
- Biodegradation

For components

| Name | Туре | Rate | Time | Evaluation | Method | Remark |
|---|---------|--------|---------|--------------------------|------------|--------|
| trimethoxyvin ylsilane | aerobic | 51 % | 28 days | Non- biodegradable | OECD 301 F | / |
| hydrocarbons , C11-C12, isoalkanes, <2% aromatics | aerobic | 31.3 % | 28 days | readily biodegradable | 1 | 1 |

Additional information

Not easily biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

Partition coefficient



No information.

Bioconcentration factor (BCF)

No information.

12.4 MOBILITY IN SOIL

Known or predicted distribution to environmental compartments

No information. Surface tension

No information.

Adsorption/Desorption

No information.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT

No evaluation.

12.6 ENDOCRINE DISRUPTING PROPERTIES

No information.

12.7 OTHER ADVERSE EFFECTS

No information.

12.8 ADDITIONAL INFORMATION

For product

Do not allow to reach ground water, water courses or sewage system. In contact with water the material solidifies.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Product / Packaging disposal

Waste chemical

Dispose of in accordance with applicable governmental non-hazardous waste regulations.

Waste codes / waste designations according to LoW

08 04 10 - waste adhesives and sealants other than those mentioned in 080409

Packaging

Deliver completely emptied containers to approved waste disposal authorities. Dispose of in accordance with applicable waste disposal regulation. Containers must be recycled in accordance with national legislation and environmental regulations.

Waste codes / waste designations according to LoW

15 01 - packaging (including separately collected municipal packaging waste)

Waste treatment-relevant information

No information.

Sewage disposal-relevant information

No information.

Other disposal recommendations

No information.

SECTION 14: TRANSPORT INFORMATION

| ADR/RID | IMDG | ΙΑΤΑ | ADN |
|---|---|---|---|
| 14.1 UN number or ID number | | | |
| Not dangerous according to transport regulations. |
| 14.2 UN proper shipping name | | | |
| Not given/not applicable | Not given/not applicable | Not given/not applicable | Not given/not applicable |
| 14.3 Transport hazard class(es) | | | |
| Not given/not applicable | Not given/not applicable | Not given/not applicable | Not given/not applicable |
| 14.4 Packing group | | | |



| ADR/RID | IMDG | ΙΑΤΑ | ADN |
|--|--|--------------------------|--|
| Not given/not applicable | Not given/not applicable | Not given/not applicable | Not given/not applicable |
| 14.5 Environmental hazards | | | |
| NO | NO | NO | NO |
| 14.6 Special precautions for user | | | |
| Limited quantities Not given/not applicable | Limited quantities Not given/not applicable | | Limited quantities Not given/not applicable |
| 14.7 Maritime transport in bulk according to IMO instruments | | | |
| | Not given/not applicable | | |

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

- Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (including last amendment Commission Regulation (EU) 2020/878)

- Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

Information according 2004/42/EC about limitation of emissions of volatile organic compounds (VOC-guideline) not applicable

Regulation EC 648/2004 on detergents

No information.

Special instructions

No information.

15.2 CHEMICAL SAFETY ASSESSMENT

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Indication of changes

3.2 Mixtures 8.2 Exposure controls 9.1 Information on basic physical and chemical properties 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Key literature references and sources for data

No information.

Abbreviations and acronyms



ATE - Acute Toxicity Estimate ADR - Agreement concerning the International Carriage of Dangerous Goods by Road ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways CEN - European Committee for Standardisation CEN - European Committee for Standardisetter. C&L - Classification and Labelling CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 CAS# - Chemical Abstracts Service number CMR - Carcinogen, Mutagen, or Reproductive Toxicant CSA - Chemical Safety Assessment CSR - Chemical Safety Report DMEL - Derived Minimal Effect Level DNEL - Derived No Effect Level DPD - Dangerous Preparations Directive 1999/45/EC DSD - Dangerous Substances Directive 67/548/EEC DU - Downstream User EC - European Community ECHA - European Chemicals Agency EC-Number - EINECS and ELINCS Number (see also EINECS and ELINCS) EEA - European Economic Area (EU + Iceland, Liechtenstein and Norway) EEC - European Economic Community EINECS - European Inventory of Existing Commercial Substances ELINCS - European List of notified Chemical Substances EN - European Standard EQS - Environmental Quality Standard EU - European Union Euphrac - European Phrase Catalogue EWC - European Waste Catalogue (replaced by LoW - see below) GES - Generic Exposure Scenario GHS - Globally Harmonized System IATA - International Air Transport Association ICAO-TI - Technical Instructions for the Safe Transport of Dangerous Goods by Air IMDG - International Maritime Dangerous Goods IMSBC - International Maritime Solid Bulk Cargoes IT - Information Technology IUCLID - International Uniform Chemical Information Database IUPAC - International Union for Pure Applied Chemistry JRC - Joint Research Centre Kow - octanol-water partition coefficient LC50 - Lethal Concentration to 50 % of a test population LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose) LE - Legal Entity LoW - List of Wastes (see http://ec.europa.eu/environment/waste/framework/list.htm) LR - Lead Registrant M/I - Manufacturer / Importer MS - Member States MSDS - Material Safety Data Sheet OC - Operational Conditions OECD - Organization for Economic Co-operation and Development OEL - Occupational Exposure Limit OJ - Official Journal **OR** - Only Representative OSHA - European Agency for Safety and Health at work PBT - Persistent, Bioaccumulative and Toxic substance PEC - Predicted Effect Concentration PNEC(s) - Predicted No Effect Concentration(s) PPE - Personal Protection Equipment (Q)SAR - Qualitative Structure Activity Relationship REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 RID - Regulations concerning the International Carriage of Dangerous Goods by Rail **RIP - REACH Implementation Project** RMM - Risk Management Measure SCBA - Self-Contained Breathing Apparatus SDS - Safety data sheet SIEF - Substance Information Exchange Forum SME - Small and Medium sized Enterprises STOT - Specific Target Organ Toxicity (STOT) RE - Repeated Exposure (STOT) SE - Single Exposure SVHC - Substances of Very High Concern UN - United Nations vPvB - Very Persistent and Very Bioaccumulative List of relevant H phrases H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H332 Harmful if inhaled.

H413 May cause long lasting harmful effects to aquatic life.